

OMRO ANTIQUE TRACTOR CLUB

2006

July 8th – Borth, WI

September 30 – Borth, WI

For more information call Chris Sherlin 920-589-3304

GENERAL SAFETY REQUIREMENTS ALL TRACTORS STRICTLY ENFORCED

All participants will be required to sign a waiver.

1. No floating draw bars, no bolts, no risers. All tractor hook-ups will be 2 ½" clevis or equivalent pulling eye. All hitches will meet or exceed O.E.M. (original equipment manufacture) specification and be stationary! Any "D" hooks will be bolted direct with ¾" bolt for Antique and a 1" bolt for Farm.
2. No floating weights. All weights will be secure by chain, bolts, or brackets that meet or exceed O.E.M. design. Draft hitch brackets will be made stationary!
3. Weights will not be allowed to interfere with hook-ups, operator area, or normal operation of the tractor!
4. Operators will obey flagman! Be observant, or you will be disqualified!
5. Any operator who cannot safely control their tractor for any reason will not be allowed to pull or drive on facility!
6. No front lift (wheelies) above knee height, this will be at flag person's discretion!
7. No more than 3 m.p.h. on grounds and pits!
8. Absolutely no tractor or vehicle will be allowed to pull that does not fit an approved class!
9. All O.E.M. or equivalent fenders and shields must be in place!
10. NO jerk starts!
11. Tractor operators will remain seated while operating tractors at all times!

O.A.T.C. reserves the right to alter or modify these regulations at any time! These regulations will be strictly enforced and are for the purpose of securing safety for everyone.


<u>Original Stock Antique</u>	<u>Super Antique</u>	<u>Classic Farm & Antique</u>	<u>Turbo Farm</u>
2800 – 20 HP	3600 – 15.5	7600 NT	7400 T
3500 – 30 HP	4600 - 15.5	8600 NT	8400 T
4500 – 40 HP	5600 – 18.4	10,000 NT	9800 T
5500 – 50 HP	6600 – 18.4	12,000 NT	11,800 T
6500 – 60 HP	<u>Improved Antique</u>		
7500 – 65 HP	5300 – 16.9	<u>Farm & Antique</u>	
8500 – unlimited	6300 – 18.4	15,500	
	7300 – 18.4		

All tractors must be registered by the time of the drivers meeting.

Safety equipment specifications for classes that require these

Safety wheelie bar system

Minimum requirements for two wheelie stabilizer bars are as follows. A: The wheelie bar support system should not be attached to the draw bar system. B: Pad 10" maximum above the ground. C: The back of the pad is to extend 5" minimum behind the farthest tire radius. D: Pads are to be 5" square minimum and 1/4" thick. E: The outside space of the pads is 20" minimum and designed to contact the ground flat. F: If a cross support is used between the wheelie bars, the cross support must be below and not touch the hooking chain. G: Jacking up each pad in the heaviest weight class so the tractor is completely off the ground is a good test of the strength of the system's support ability and the Tech Crew reserves the right to perform this test at it's discretion.



Working safety kill switch

Requirements for working safety switch are as follows. A: When unplugged the engine stops. B: The mounting bracket be strong enough to hold the female end when the male end is suddenly removed. C: The Tech Crew reserves the right to perform this test. D: The ring on the end of the male end must be big enough to get one's finger through to test the system and be able for a snap hook to be connected from the eliminator.

ORIGINAL STOCK ANTIQUE

1. Classes PTO Rated	Tire Size	Rim Width	<u>PAYOUT</u>
2800 - 20 HP	12.4	8"	1 st Trophy & \$15.00
3500 - 30 HP	13.6	10"	2 nd Trophy & \$10.00
4500 - 40 HP	13.6	11"	3 rd Trophy & \$ 5.00
5500 - 50 HP	14.9	12"	
6500 - 60 HP	15.5	14"	
7500 - 65 HP	18.4		
8500 - unlimited	18.4		

No radial tires or front cut lugs. Steel lug wheels will pull last in each class. Tractors over 8500 will pull in Classic Farm and meet all the rules that pertain.

2. Tractors must be 1955 or older. **All 1st place tractors will be dynoed immediately after hook. Tractors exceeding horsepower for that class will be disqualified.**
3. Original Stock Antique will run factory stock block, head, carburetor, exhaust, and compression. Must have original, unaltered governor and be less than 10% over Nebraska test R.P.M.s.
4. **Draw bar height not to exceed 18" all Original Stock classes.** Hook point to be at least 18" back of center of axle and be locked and stationary, and meet or exceed manufacturer design. Tractors must have 2 ½ " clevis or pulling eye. Any D hook will be bolted solid to draw bar with ¾" minimum bolt, and make-shift risers are not allowed.
5. Stock fuel systems only. (L.P. if factory equipped). No electric or pressure fed systems unless verified stock. No turbo chargers, fuel injection or nitrous. All tractors will run on stock pump fuel only and may be checked.
6. Front weights must not exceed ahead of front cast more than 24" or more than 27" behind the center of rear axle. Weights must not interfere with the hook up. Extra weights must be securely fastened to the tractor. If anything falls off the tractor while hooked, it will be disqualified.
7. Driver may stop once in the first 50" (front of eliminator) to move weights or change gear. Tractors with T.A. can **not** change ranges during pull.
8. Driver must remain completely in the seat during the entire pull and operate tractor in a safe manner. One hand must be on the wheel at all times. Safety must be exhibited! **Pulling Speed limit is 3 M.P.H.**
9. Each tractor may pull 2 classes. Unless there is a tie, only one pull per tractor in each class. No antique tractors may pull in the Super Antique classes!
10. Judges have the right to stop the tractor at any time and their decision is final! Any disputes over qualifications will be handled by OATC officials at that time and will be final. **All operators must obey flagman, or be disqualified.**
11. Tractors must have factory sheet metal, fenders required for safety! Side shields encouraged for safety, wheelie bars are advised and may be required in near future.
12. All contestants enter at their own risk. Anyone under the age of 18 must have a consent form signed by a parent or guardian. Minimum age is 14, no one under 16 will be allowed to pull without tractor and machinery safety certificate.
15. Any tractor may pull more than once per class for promoting tractor pulling. **Exhibition Only!** You must be registered before pulling.
Exhibition hooks limited to time available.

Improved Antique

1. CLASSES	TIRE SIZE
5300	16.9
6300	18.4
7300	18.4

PAYOUT

1 st	Trophy & \$15.00
2 nd	Trophy & \$10.00
3 rd	Trophy & \$ 5.00

Radial tires allowed. No front cut lugs. No steel lugs.

2. Tractors must be 57 or older.
3. Tractors in Improved Antique must have original, or original replacement block heads, carburetion, fuel system, and throttle controls for that model. LP systems must be verified stock. No nitrous, fuel injection, blowers or turbos allowed.
4. **Drawbar height not to exceed 18"**. Hook point to be 18" back of center of axel, and be locked and stationary, and meet or exceed manufactured design. Tractors must have 2 1/2" clevis or pulling eye. No D hooks or make shift risers allowed.
5. Front weights must not exceed ahead of front cast more than 24" or more than 27" behind center of rear axle. Weights must not interfere with hookups. Extra weights must be securely fastened to tractor. If anything falls off tractor while hook, **it will be disqualified.**
6. **Improved Antique will not be allowed to pull in any Antique Class.**
7. **Improved Antique must have approved wheelie bars, kill switches, and fenders.**
8. Drivers may stop once in 50" to change weights or change gears. Tractors with TA cannot change ranges during pull. **Pulling pace is 4 M.P.H.**
9. Driver must remain seated during entire pull and operate tractor in a safe manner. One hand must remain on wheel at all times.
10. 3 M.P.H. on grounds will be strictly enforced.
11. Judges have the right to stop the tractor at any time and their decision is final! Any disputes over qualifications will be handled by OATC officials at that time and will be final. **All operators must obey flagman, or be disqualified.**
12. All contestants enter at their own risk, and must be 18 yrs. Old to pull Improved Antique.
15. Any tractor may pull more than once per class for promoting tractor pulling.
Exhibition Only! You must be registered before pulling. Exhibition hooks limited to time available.

SUPER ANTIQUE

<u>I. CLASSES</u>	<u>TIRE SIZE</u>	<u>PAYOUT</u>
3600	15.5	1 st Trophy & \$25.00
4600	15.5	2 nd Trophy & \$20.00
5600	18.4	3 rd Trophy & \$15.00
6600	18.4	

Radial tires and front cut lugs are allowed. No steel lugs. The 2 smaller classes can enter any Super class, but anyone who runs 18.4 tires can only pull in the last 2 classes.

2. Tractor must be 1957 or older.
3. Tractors in Super Antique must have stock block for that model. Fuel systems and throttle controls can be altered, however, must be safe, and no nitrous, fuel injection, blowers, or turbos allowed. Tractors must run on stock available pump fuels and maybe checked at anytime! L P systems allowed that are approved for Ag. Automotive.
4. **Drawbar height not to exceed 18" for all classes.** Hook point to be at least 18" back of center of axle, and be locked and stationary, and meet or exceed manufacturer design. Tractors must have 2 1/2" clevis of pulling eye. No D hooks or make shift risers allowed.
5. Front weights must not exceed ahead of front cast more than 24" or more than 27" behind the center of rear axle. Weights must not interfere with hook ups. Extra weights must be securely fastened to the tractor. If anything falls off tractor while hooked, **it will be disqualified.**
6. Imp. Antique will not be allowed to pull in Antique, or Farm classes, but may pull turbo farm with approval from turbo pullers.
7. **All Imp. Antiques must have approved wheelie bars, kill switch hook up, protective side shields, (removable for possible inspection), fenders, and scatter shield of 1/4" min. thickness or approved blanket.**
8. Drivers may stop once in 50" to move weights or to change gears. Tractors with TA can not change ranges during pull.
9. Driver must remain seated during entire pull and operate tractor in a safe manner. One hand must remain on wheel at all times. Super Antique RPMs and pace will remain unchecked, but safety for everyone is the main concern.
10. 3 M.P.H. on grounds will be strictly enforced.
11. Judges have the right to stop the tractor at any time and their decision is final! Any disputes over qualifications will be handled by OATC officials at that time and will be final. **All operators must obey flagman, or be disqualified.**
12. All contestants enter at their own risk, and must be **18 yrs. old to pull in Super Antique.**
13. Four (4) entries per class, or will be trophy only.
15. Any tractor may pull more than once per class for promoting tractor pulling.

Exhibition only. You must register before pulling. Exhibition hooks limited to time available.

CLASSIC FARM & ANTIQUE

1. WEIGHT CLASS

7600

8600

10,000

12,000

TIRE SIZE

18.4

18.4

20.8

20.8 With enough interest

PAYOUT

1ST Trophy & \$15.00

2nd Trophy & \$10.00

3rd Medal & \$5.00

TURBO FARM

7400 T

8400 T

9800 T

11,800 T

18.4

18.4

20.8

20.8

FARM & ANTIQUE

15,500

30.5 With enough interest

2. Radial tires allowed, no front cut lugs, no steel wheels. Classic Farm will be 1974 and older, non turbo including Original Stock Antique. Original Stock Antique tractors may pull in addition to their 2 pull limit. All Classic Farm may pull in any qualifying farm class. Unless there is a tie, only one (1) pull per tractor in each class. Turbo tractors will only be allowed in turbo classes and no Super Antiques in any non turbo farm class, but may pull in turbo class with turbo pullers approval.

3. Draw bar height not to exceed 20", must be stock draw bar, or pulling eye draw bar that meets or exceeds O.E.M. specifications. No make shift risers. Any D hook will be bolted solid to draw bar with 1" min. bolt and hitch must be stationary.

4. Front weights must not exceed 24" from front cast. Rear weights no more than 5" behind 3 point hitch. All weights will be stationary and secure. (No floating wt. Brackets) Weights will not interfere with hook up, or safe operation of tractor. Rear weights no higher than top of rim. Original Stock Ant. Have to qualify under the ANTIQUE rules for rear weights.

5. Fuel systems must be stock. (unaltered) RPMs must be stock for the tractor. (Tractors at 3000 RPMs or more) **DON'T ASK!!!**

6. Drivers may stop once in 50" to move weights or change gears. TA, or 1 extra shift allowed in Classic Farm, and Turbo Farm.

7. Drivers must remain completely seated during pull and operate in a safe manner. One hand must be on the wheel at all times. RPMs must be within 10% of book rating. **PACE limit is 6 mph.** (3 mph off track, on grounds)

8. Judges have the right to stop the tractor at any time and their decision is final! Any disputes over qualifications will be handled by OATC officials at that time and will be final. **All operators must obey flagman, or be disqualified.**

9. All tractors must have original sheet metal, fenders, and shields. Wheelie bars are strongly advised, and may become mandatory.

10. All contestants enter at their own risk. Anyone under 18 must have a consent form signed by a parent. Minimum age is 14. No one under 16 will be allowed to pull without tractor and machine safety certificate.

11. No Modified, Super Farm, or Special Farm tractors. **DON'T ASK!!**

15. *Same as all other classes.*